





Product range portfolio

August, 2023


MULTIWALL POLYCARBONATE SHEET

OPTION	DESCRIPTION
Sheet thicknesses:	4 / 6 / 8 / 10 / 16 / 20 / 25 mm
Width:	980 / 1050 / 1250 / 2100 mm
Length :	6000 / 12000 mm
Structure:	2H / 3H / 7H / 5X / 6M
Colors:	Transparent / Bronze / Anthracite / Opal / Hammer effect / Milky / Blue / Green / Yellow / Red / Turquoise / Rich red

STRUCTURES		Sheet thickness (mm)	Width with closed edges, mm	Density, kg/m ² :			U-Value, W/m ² K
				Ultraplast T	Ultraplast T3	Ultraplast T10	
	2H	4	2100	0,6	0,7	0,8	3,9
		6	2100	1,1	1,2	1,3	3,9
		8	2100	1,2	1,3	1,5	3
		10	2100	1,4	1,5	1,7	3
	3H	16	2100	2,3	2,4	2,6	2,3
		20	2100	2,7	2,9	3,0	2,3
	7H	16	2100	2,5	2,8	3,0	1,76
		20	2100	2,8	3,0	3,2	1,6
		25	2100	3,2	3,4	3,6	1,4
	5X	16	900, 980, 1050,	2,5	2,7	2,8	2,0
		20	1200, 1250	3,0	3,1	3,2	N/A
	6M	10	2100	1,5	1,6	1,7	2,2
		16	2100	2,4	2,5	2,7	1,9
		20	2100	2,7	2,9	3,0	1,8

Available production of sheets with:

- ✓ 2UV protection (on both sides);
- ✓ Length – from 1000 mm to 13000 mm;
- ✓ Non-standard size;
- ✓ Non-standard weight.



SOLID POLYCARBONATE SHEET


OPTION	DESCRIPTION											
Thicknesses:	0.5 / 0.6 / 1 / 1.5 / 2 / 3 / 4 / 5 / 6 / 8 / 10 / 12 mm											
Sizes (Standard):	1250 x 2050 mm / 2050 x 3050 mm / 2050 x 6110mm											
Colors:	Transparent / Bronze / Anthracite / Opal											
PROPERTIES	SHEET THICKNESS											
	0.5mm	0.6mm	1mm	1.5mm	2mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm
Density, kg/m ²	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2
Weight 1m ² , kg	0,6	0,72	1,2	1,8	2,4	3,6	4,8	6,0	7,2	9,6	12	14,4
Sheet weight, kg												
1250x2050 (mm)	1,54	1,85	3,08	4,61	6,15	9,23	12,30	15,38	18,45	24,60	30,75	36,90
2050x3050 (mm)	-	-	-	-	15,01	22,51	30,01	37,52	45,02	60,02	75,03	90,04

PMMA SHEET

OPTION	DESCRIPTION										
Thicknesses:	0.6 / 1 / 1.5 / 2 / 3 / 4 / 5 / 6 / 8 / 10 / 12 mm										
Sizes (Standard):	1250 x 2050 mm / 2050 x 3050 mm										
Colors:	Transparent										
PROPERTIES	SHEET THICKNESS										
	0.6mm	1mm	1.5mm	2mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm
Density, kg/m ²	1,19	1,19	1.19	1,19	1,19	1,19	1,19	1,19	1,19	1,19	1,19
Weight 1m ² , kg	0,71	1,19	1.79	2,38	3,57	4,76	5,95	7,14	9,52	11,9	14,28
Sheet weight, kg											
1250x2050 (mm)	1,83	3,05	4.57	6,10	9,15	12,20	15,25	18,30	24,40	30,49	36,59
2050x3050 (mm)	-	-	-	14,88	22,32	29,76	37,20	44,64	59,52	74,41	89,29

GPPS SHEET

OPTION	DESCRIPTION										
Thicknesses:	0.6 / 1 / 1.5 / 2 / 3 / 4 / 5 / 6 / 8 / 10 / 12 mm										
Sizes (Standard):	1250 x 2050 mm / 2050 x 3050 mm										
Colors:	Transparent										
PROPERTIES	SHEET THICKNESS										
	0.6mm	1mm	1.5mm	2mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm
Density, kg/m2	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05
Weight 1m2, kg	0,6	1,1	1,58	2,1	3,2	4,2	5,3	6,3	8,4	10,5	12,6
Sheet weight, kg											
1250x2050 (mm)	1,61	2,69	4,04	5,38	8,07	10,76	13,45	16,14	21,53	26,91	32,29
2050x3050 (mm)	-	-	-	13,13	19,70	26,26	32,83	39,39	52,52	65,65	78,78



PETG SHEET

OPTION	DESCRIPTION										
Thicknesses:	0.6 / 1 / 1.5 / 2 / 3 / 4 / 5 / 6 / 8 / 10 / 12 mm										
Sizes (Standard):	1250 x 2050 mm / 2050 x 3050 mm										
Colors:	Transparent										
PROPERTIES	SHEET THICKNESS										
	0.6mm	1mm	1.5mm	2mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm
Density, kg/m ²	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27
Weight 1m ² , kg	0,8	1,3	1,91	2,5	3,8	5,1	6,4	7,6	10,2	12,7	15,2
Sheet weight, kg											
1250x2050 (mm)	1,95	3,25	4,88	6,51	9,76	13,02	16,27	19,53	26,04	32,54	39,05
2050x3050 (mm)	-	-	-	15,88	23,82	31,76	39,70	47,64	63,53	79,41	95,29

Available production of nonstandard dimensions of the material.

